REFERENCES

1. Shiradkar, M.R., Murahari, K.K., Gangadasu, H.R., Suresh, T., Kalyan, C.C., Panchal, D., Kaur,R., Burange, P., Ghogare, J., Mokale, V., Raut, M., (2007), Synthesis of new S-derivatives of clubbed triazolyl thiazole as anti-Mycobacterium tuberculosis agents, *Bioorg. Med. Chem.*, **15**, 3997-4008.
2. Janin, Y., (2007), Antituberculosis drugs: ten years of research, *Bioorg. Med. Chem.* **15**, 2479-2513.
3. Gürsoy, E., Güzeldemirci-Ulusoy, N. (2007) Synthesis and primary cytotoxicity evaluation of new imidazo[2,1-b]thiazole derivatives, *Eur. J. Med. Chem.***42**, 320- 326.
4. Kaymakçıoğlu K.B., Oruç, E.E., Unsalan, S., Kandemirli, F., Shvets, N., Rollas, S., Anatholy, D. (2006) Synthesis and characterization of novel hydrazide-hydrazones and the study of their structure antituberculosis activity, *Eur. J. Med. Chem*,**41**,16253-1261.
5. Sah, P.P.T., Peoples, S.A. (1954) Isonicotinyl hydrazones as antitubercular agents and derivatives for idendification of aldehydes and ketones, *J. Am. Pharm. Assoc.* **43,** 513-524.
6. Bavin E.M., Drain, D.J., Seiler, M., Seymour, D.E.(1954), Some further studies on tuberculostatic compounds, *J. Pharm. Pharmacol*. **4**,844-855.
7. Buu-Hoi, P.H., Xuong, D., Nam, H., Binon, F., Royer, R.(1953), Tuberculostatic hydrazides and their derivatives, *J. Chem. Soc.* **12,**1358-1364.
8. Amâl, H., Ergenç, N. (1957), Some isonicoticoyl-hydrazones, *İ.Ü. Fen Fakültesi Mecmuası*. **22**,390-392.
9. Singh, V., Srivastava, V.K., Palit, G., Shanker, K.,(1992), Coumarin congeners as Antidepressants, *Arzneim-Forsch. Drug. Res.* **42**, 993-996.
10. Ergenç, N., Günay, N.S., (1998), Synthesis and antidepressant evaluation of new 3-phenyl-5-sulfonamidoindole derivatives, *Eur. J. Med. Chem.***33**, 143-148.
11. Durgun B.B., Çapan G., Ergenç, N., Rollas, S., (1993), Synthesis, characterisation and biological evaluation of new benylidenebenzohydrazides and 2,5-disubstituted-2,3-dihydro-1,3,4-oxadiazoles, *Pharmazie* **48**, 942-943.
12. Doğan H.N., Duran, A., Rollas, S. , Şener, G. , Armutak, Y., Keyer-Uysal, M., (1998), Synthesis and structure elucidation of some new hydrazones and oxadiazolines : anticonlsant activitites of 2-(3- acetyloxy-2-naphtyl)-4-acetyl-5-substituted-1,3,4-oxadiazolines, *Med. Sci. Res.* **26**, 755-758.
13. Kalsi, R., Shrimali, M., Bhalla, T.N. , Barthwal, J.P., (2006) Synthesis and anti-inflammatory activity of indolyl azetidinones, *Indian J. Pharm. Sci.* **41**,353-359.

14. Küçükgüzel, Ş.G., Kocatepe A. , De Clercq, E. , Şahin F., Güllüce, M.,(2006) Synthesis and biological activity of 4-thiazolidinones, thiosemicarbazides derived from diflunisal hydrazide, *Eur. J. Med.Chem.* **41**, 353-359.
15. Kömürcü, Ş.G., Rollas S., Ülgen M., Gorrod J.W, Çevikbaş A.,(1995) Evaluation of Some Arylhydrazones of p-Aminobenzoic acid hydrazide as Antimicrobial Agents and Their in-vitro Hepatic Microsomal Metabolism, *Boll. Chim. Farm.* **134**, 375-379.
16. Ülgen M., Durgun, B.B., Rollas, S., Gorrod, J.W., (1997) The in vitro hepatic microsomal metabolism of benzoic acid benzylidenehydrazide, *Drug Metab. Interact.***13**,285-294.
17. Çakır, B., Dağ, Ö., Yıldırım, E., Erol, K., Şahin, M.F., (2011) Synthesis and anticonvulsant activity of some hydrazones of 2-[(3H)-oxobenzoxazolin-3-yl-aceto]hydrazide, *J. Fac. Pharm. Gazi.***18**,99-106.
18. Loncle, C., Brunel, J., Vidal, N., Dherbomez, M., Letourneux, Y., (2010) Synthesis and antifungal activity of cholesterol-hydrazone derivatives, *Eur. J. Med. Chem.* **39**, 1067-1071.
19. El-Hawash, S.A.M., Abdel Wahab, A.E., El-Dewellawy, M.A., (2011) Cyanoacetic acid hydrazones of 3- (and 4-) acetylpyridine and some derived ring systems as potential antitumor and anti-HCV agents, *Arch. Pharm. Chem. Life Sci.* **339**, 14-23.
20. Varma, R. S., Rastogi, N. and Ms. Kapil, A,(2010), Synthesis, Structure and Biological Activity of Novel oxadiazole Mannich Bases Containing a Substituted Benzylpiperazine Moiety, *Ind. J. of Het. Chem.,* **12**, 205-212.
21. Bao-lei wang,Yan-xia Shi, Yi Ma,Xing-Hai Liu, Yong-Hong Li,Hai-Bin Song, Bao-Ju Li,and Zheng-Ming Li(2010), Synthesis and Biological Activity of Some Novel Trifluoromethyl-Substituted 1,2,4-Triazole and Bis(1,2,4-Triazole) Mannich Bases Containing Piperazine Rings, *J. Agric. Food Chem.* **58**, 5515–5522.
22. Lee C. H., Cho H. I., Lee K. J., Synthesis of 1,3,4-Oxadiazoles Having Phenol or Thiophenol Group, *Bull. Korean Chem. Soc.,* **22,** 1153, 2001.
23. Bharathi, D., Hemalatha, S., Devadass, G., Kumar, P.R., Shanmugasundaram, P, Vijey Aanandhi, M.,(2010), Synthesis, Characterisation and *invitro* Anti inflammatory and Anthelmintic activities of 1,3,4-Oxadiazole derivatives, *International Journal of ChemTech Research*, **2(4),** 1867-1870.
24. David A. Williams, Thomas L. Lemke.(2003), Foyes Principles of medicinal chemistry, *5thEdition, Lippin Cot, Williams and Wilkins*, 758-790.

25. Ashour F. A., Habbib N.S., el M.Taibbi, el S. Dine, el A. S. Dine, Synthesis of 1,3,4-thiadiazoles, imidazo[2,1-b]1,3,4-thiadiazoles and thiadiazolo[3,2-a]pyrimidines derived from benzimidazole as potential antimicrobial agents, *Farmaco* **45,** 1341, 1990.
26. Faroumadi A, Mirzaei M, Shafiee A.,(2001) Antituberculosis agents II. Evaluation of in vitro antituberculosis activity and cytotoxicity of some 2-(1-methyl-5-nitro-2-imidazolyl)-1,3,4-thiadiazolederivatives, *Pharmazie*,**56**,610-623.
27. Foroumadi A., Daneshtalab M., Mahmoudian M., Falahati M., Nateghian N., Shahsavarani N., Shafiee A. Syntheses and antifungal activity of 2-aryl -1,3,4-thiadiazole 5-fulfide, sulfoxide and sulfones, *Pharm. Pharmacol Commun.*, **4,** 95- 98 (1998).
28. Zhang Y., Sun X. W., Hui X. P., Zhang Z. Y., Wang Q., Zhang Q.,(2002) Synthesis and Antibacterial Activities of 4-Amino-3-(1-aryl-5-methyl-1,2,3-triazol-4-yl) -5-mercapto-1, 2,4-triazoles/2- Amino-5-(1-aryl-5-methyl-1,2,3-triazol-4-yl)-1,3,4-thiadiazoles and Their Derivatives, *Chin J Chem,* **20**, 168-173.
29. Amir M., Shikha K., Synthesis and antiinflammatory,analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6- dichloroanilino) phenyl]acetic acid derivatives, *Eur J Med Chem*, **39**, 535, 2004.
30. Bhatia S. and Gupta M., (2011), 1,3,4-Oxadiazole as antimicrobial agents: An overview, *J. Chem. Pharm. Res.*,**3(3)**,137-147.
31. Okada, M.; Nagakura, Y.; Kiso, T.; Toya, T.; Hayashibe, S..(2001) Remedies for neurogenic pains. PCT Int. Appl. WO 0,108,705; *Chem. Abstr*.134, 141763y.
32. Pattanaik, J.M.; Pattanaik, M.; Bhatta, D.,(1998) Synthesis of some new Mannich bases and their fungicidal activities. *Indian. J. Het. Chem.***8**, 75–76.
33. Abdel-Aziz, H.A.; Saleh, T.S.; El-Zahabi, H.S.A.,(2010) Facile synthesis and *in- vitro* anti-tumor activity of some pyrazolo[3,4-*b*]pyridines and pyrazolo[1,5-*a*] pyrimidines linked to thiazolo[3,2-*a*]oxadiazole moiety. *Arch. Pharm. **343***, 24–30.
34. El-Emam AA, Al-Deeb OA, Al-Omar M and Lehmann J.,(2004) Synthesis, anti microbial and anti-HIV-1 activity of certain 5-(1-adamantyl)-2-substitutedthio-1,3,4-oxadiazoles and 5-(1-adamantyl)-3-substituted aminomethyl-1,3,4-oxa diazoline-2-thiones, *Bioorg. Med. Chem.***12**, 5107-5113.
35. Patel H. S., Patel V. K., (2003) Synthesis of some new 4-(N,N'-dimethyl-amino-sulfonyl-phenyl)-3-chloro-4-phenyl azetidine-2-ones, *Ind. J. Heterocycl. Chem.***12**, 253-259.

36. Solankee A. N., Patel K. P. and Patel R. B.,(2012) A facile synthesis and studies of some new 4-thiazolidinones and 5-arylidenes, *Advances in Applied Science Research*, **3 (1)**, 117-122.

37. Che, C.; Mao, S. F.; Mu, C. W.; Xu, Y. J.; Qin, Z. H.,(2002), Studies on pyridine derivatives (VII): synthesis and insecticidal activities of pyridine derivatives with an 1,3,4-thiadiazole moiety, *Chin. J. Pestic.Sci*., 4 (3), 75–78.

38. Zou, X. J.; Lai, L. H.; Jin, G. Y.; Zhang, Z. X.,(2002), Synthesis, fungicidal activity and 3D-QSAR of pyridazinone-substituted 1,3,4-oxadiazoles and 1,3,4-thiadiazoles, *J. Agric. Food Chem.* **50,** 3757–3760.

39. Turgut Z., Yolacan C., Aydogan F., Ocal N.,(2007) Synthesis of New Pyrazolo thiazole Derivatives from 4-Thiazolidinones, *Molecules*,**12(9)**,2151-2159.

40. Lee C. H., Cho H., Lee K. J., (2001) Synthesis of 1,3,4 oxadiazole having phenol or thiophenol group, *Bull. Korean Chem. Soc.*, **22**, 1153-1155.

41. Zou XJ, Lai L-H, Jin G-Y and Zhang Z-X.(2002) Synthesis, fungicidal activity and 3D-QSAR of pyridazinone-substituted 1,3,4-oxadiazoles and 1,3,4-thiadiazoles, *Agric. Food Chem.* **50**:3757–3760.

42. Zheng X, Li Z, Wang Y, Chen W, Huang Q, Liu C and Song G.(2003) Synthesis and insecticidal activities of novel 2,5-disubstituted-1,3,4-oxadiazoles, *J. Fluorine Chem.* **123**:163–169.

43. Tewari R.K, Mishra R.K, Shrivastava S and Bahel SC.(1991) Synthesis of some new mannich bases, sulphides and disulphides of 1,3,4-oxadiazol-2-thiones as potential antifungal agents, *J. Indian Chem. Soc.* **68**:108–110.

44. Singh H.H, Nagar S, Chaudhari A and Parmar SS.(1973) Inhibition of pyruvic acid oxidation by 2, 5-disubstituted-1,3,4-oxadiazoles, *J. Pharm. Sci.* **62**:504– 507.

45. Raman K., Parmar S.S. and Sulzman S.K.(1989) Anti-inflammatory activity of substituted thiazolidines, *J. Pharm. Sci.* **78(12)**:999–1002.

46. Suman S.P., and Bahel S.C., (1979) Synthesis of 2-arylamino-5-aryl/aryloxymethyl-1,3,4-thiadiazoles, N1-aryl/aryloxyacetyl-3-methyl-5-pyrazolones as possible fungicides, *J. Indian Chem. Soc.* **56**:374–376.

47. Tozkoparan B, Gokhan N, Aktay G, Yesilada E and Ertan M.,(2000), 6-Benzylidene thiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones substituted with ibuprofen: Synthesis, characterization and evaluation of anti-inflammatory activity, *Eur. J. Med. Chem.* **35**:743–750.

48. Z. Turgut, C.Yolacan, F. Aydogan, N. Ocal, Synthesis of New Pyrazolothiazole Derivatives from 4-Thiazolidinones, *Molecules,* **12,** 2151-2159 (2007).